WHAT WE CLAIM IS:

- 1. An isolated nucleic acid molecule having a nucleic acid sequence selected from the group consisting of:
 - a) SEQ ID NOs 1, 3, 5, 17, 19, 21, 7, 9, 11, 13 and 15 or a combination of these sequences;
 - b) SEQ ID NOs 23, 24 and 25;
 - c) a functional fragment or variant of the sequences in a) or b);
 - d) a complement to the sequences in a), b) or c).
- 2. An isolated nucleic acid molecule having at least 70% sequence homology to a nucleic acid as claimed in claim 1.
- 3. An isolated nucleic acid molecule having at least 80% sequence homology to a nucleic acid as claimed in claim 1.
- 4. An isolated nucleic acid molecule having at least 90% sequence homology to a nucleic acid as claimed in claim 1.
- 5. An isolated nucleic acid molecule having at least 95% sequence homology to a nucleic acid as claimed in claim 1.
- 6. An isolated nucleic acid molecule having at least 99% sequence homology to a nucleic acid as claimed in claim 1.
- 7. An isolated polypeptide having an amino acid sequence selected from the group consisting of:
 - a) SEQ ID NOs 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, and 22 or a combination of these sequences:

- b) A functional fragment or variant of the sequences listed in a).
- 8. An isolated polypeptide molecule having at least 70% sequence homology to a polypeptide as claimed in claim 7.
- An isolated polypeptide molecule having at least 80% sequence homology to a polypeptide as claimed in claim 7.
- 10. An isolated polypeptide molecule having at least 90% sequence homology to a polypeptide as claimed in claim 7.
- An isolated polypeptide molecule having at least 95% sequence homology to a polypeptide as claimed in claim 7.
- 12. An isolated polypeptide molecule having at least 99% sequence homology to a polypeptide as claimed in claim 7.
- 13. A primer capable of binding to a nucleic acid molecule as claimed in claim 1.
- A primer having a nucleotide sequence selected from the group consisting of SEQ ID NOs 26-51.
- 15. A primer having a nucleotide sequence which comprises at least substantially 15-20 contiguous nucleotides of a nucleic acid molecule selected from the group consisiting of: SEQ ID NOs. 1, 3, 5, 17, 19, 21, 7, 9, 11, 13 and 15.
- 16. A probe capable of binding to a nucleic acid molecule as claimed in claim 1.
- 17. The use of a probe capable of binding to a nucleic acid molecule as claimed in claim 1 to identify at least one gene of the lolitrem gene cluster in an endophyte.
- 18. An isolated nucleic acid molecule which is able to stringently hybridize to a nucleic acid molecule as claimed in claim 1.

19. An isolated nucleic acid molecule as claimed in claim 18 wherein the molecule is a primer.

90

- 20. An isolated nucleic acid molecule as claimed in claim 18 wherein the molecule is a probe.
- 21. A method for identifying mutations in the lolitrem gene cluster of an endophyte exhibiting useful phenotypic traits, characterized by the steps of:
 - identifying at least one gene in the lolitrem gene cluster of an endophyte;
 - b) sequencing the gene(s) identified at a);
 - c) comparing the sequence at b) to SEQ ID NOs 1, 3, 5, 17, 19, 21, 7,
 9, 11, 13 and 15 or a combination of these sequences to ascertain any differences in nucleotide sequence.
- 22. An endophyte in which at least one of the genes in the lolitrem gene cluster has been mutated or otherwise disrupted to manipulate the indole diterpene biosynthetic pathway.
- 23. The use of a nucleic acid molecule as claimed in claim 1 to produce an indole diterpene, enzyme, intermediate or other chemical compound associated with the indole diterpene biosynthetic pathway.
- 24. The use of a nucleic acid molecule as claimed in claim 1 to study the indole diterpene pathway.
- 25. A construct which includes a nucleic acid molecule as claimed in claim 1.
- 26. A host cell which includes a non-endogenous nucleic acid molecule as claimed in claim 1.

27. An endophyte which includes a non-endogenous nucleic acid molecule as claimed in claim 1.

91

- 28. The use of a polypeptide as claimed in claim 7 to catalyze *in vitro* or *in vivo* a reaction involved in the biosynthesis of an idole diterpene.
- 29. A kit for identifying the lolitrem gene cluster which includes a probe.
- 30. A kit for identifying the lolitrem gene cluster which includes at least one primer pair.
- 31. A method of manipulating the indole diterpene biosynthetic pathway characterized by the setp of altering a nucleic acid as claimed in claim 1 to produce a gene encoding a non-functional polypeptide.
- 32. The use of a gene produced by the method of claim 31 to manipulate the indole diterpene biosynthetic pathway.
- 33. An expression system which includes a non-endogenous nucleic acid molecule as claimed in claim 1.
- 34. The use of an expression system as claimed in claim 33 to produce indole diterpene, enzyme, intermediate or other chemical compound associated with the indole diterpene biosynthetic pathway.
- 35. The use of a primer as claimed in any one of claims 13-15 to amplify a nucleic acid molecule.
- 36. A plant including a cell which includes a non-endogenous nucleic acid molecule as claimed in claim 1.
- 37. A plant as claimed in claim 36 wherein the plant is a grass.
- 38. A plant as claimed in claim 37 wherein the plant is a rye grass.

WO 2005/061699 PCT/NZ2004/000333 92

- 39. A plant as claimed in claim 38 wherein the cell is present as an endophyte.
- 40. The use of an isolated nucleic acid molecule in the biosysthesis of an indole diterpene.